

MATERIAL SAFETY DATA SHEET
WOIL 4T 10W30 MOTOCYCLE OIL
WOIL [*]
Gold Drop Series

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product Identifi	er		
Product name	WOIL 4T 10W30 MOTORCYCLE OIL		
1.2 Use of the	Substance/Mixture and Uses That Are Not Reco	ommended	
Use	It is a synthetic based motorcycle oil developed for four-stroke engines.		
1.3 Details of the s	upplier of the safety data sheet		
Supplier			
Name	ÖZERŞAH ENERJİ VE PETROL ÜRÜNLERİ TİCARET VE SANAYİ LİMİTED ŞİRKETİ		
Address	Gebkim Kimyacılar Osb. Atatürk Bulv. No:4/a Dilovası / KOCAELİ		
Telephone	0262 502 01 99		
Fax	0262 502 01 97		
Web	www.woil.com.tr		
E-mail	ozersahenerji@gmail.com		
Related persor	r Fetullah ARVAS		
1.4. Emergency tel	ephone number		
ÖZERŞAH ENE	ERJİ VE PET. ÜRÜN. TİC. VE SAN. LTD. ŞTİ.	: 0262 502 01 99	
National Poiso	n Information Center (NPIC)	: 114	
Emergency He	alth Services	: 112	
2. HAZARDS IDEN	TIFICATION		

2.1 Classification of the substance or mixture

Classification (28848 T.C.)

Physical Harm Not classified as harmful

Hazard to Health Not classified as harmful

Environmental Hazard Not classified as harmful

2.2 Label Elements

Labeling (28848 T.C.)

EUH210 - Safety data sheet available on request.

EUH208 - Contains Calcium long chain alkarylsulfonate, Calcium long chain alkarylsulfonate. May cause an allergic reaction.

2.3 Other Damages

No supplementary information.



MATERIAL SAFETY DATA SHEET WOIL 4T 10W30 MOTOCYCLE OIL

This Safety Data Sheet is "Regulation on Safety Data Sheets for Hazardous Substances and Mixtures" (Official Journal dated 13.12.2014 and numbered 29204) and "Regulation on Classification, Labeling and Packaging of Substances and Mixtures" Prepared in accordance with (Official Journal No. 28848 and 11.12.2013).

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

This material is not applicable as it is arranged as a mixture

3.2 Mixtures

Composition	Cas no	Usage rate	Classification
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	% 10-25	Asp. Tox. 1, H304
Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl) esters, zinc salts	68784-31-6	% 0,1-0,8	Eye Has. 1, H318 Aquatic chronic 2, H411
Calcium long chain alkaryl sulfonate	722503-69-7	% 0,1-0,8	Skin Has. 1, H317 Aquatic chronic 4, H413

The full text of the H statements is given in chapter 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

Breathing

First aid measures are not required.

Swallowing

Do not induce vomiting. Rinse your mouth. Get immediate medical attention/help.

skin contact

Wash your skin using soap and water.

Eye contact

In case of contact with eyes, rinse immediately with clean water for 10-15 minutes.

4.2 Most important symptoms and effects, both acute and delayed

Not expected to present a significant respiratory hazard under anticipated conditions of normal use.

4.3 Early Signs for Medical Intervention and Special Treatment

No supplementary information.

5. FIRE FIGHTING MEASURES

5.1 Fire Extinguishers

Suitable fire extinguishers

water mist. Torn. Dust. Dry chemicals.

Unsuitable extinguishing agents

Do not use heavy steam.

5.2 Special Damages Caused by the Product



No supplementary information.

5.3 Protective Equipment for Fire Fighters

Fire Fighting Measures: Take serious care when fighting any chemical fire.

Firefighting measures: Use water spray or mist to cool exposed container.

Protection in the event of fire: Do not enter fire area without appropriate protective equipment, including respiratory protection.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Protective Measures

For non-emergency personnel

Use suitable protective clothing, protective gloves.

For emergency responders

Use suitable protective clothing, protective gloves.

6.2 Environmental Precautions

Prevent from entering sewers or public waters. Notify authorities if product enters sewers or city waters.

6.3 Collection and Cleaning Processes

For containment: Collect and recover large debris by mixing with inert granular solids.

Cleaning processes: Detergent. Take up the liquid with absorbent material, sand, sawdust, diatomite (moss sand).

Other information: Spill area may be slippery. Use suitable disposal containers.

6.4 References to Other Sections

No supplementary information.

7. HANDLING AND STORAGE

7.1 Conditions for Safe Handling

Precautions for safe handling: Avoid all unnecessary exposure. In general, both local and general room ventilation are required.

Handling temperature: < 40 °C

Hygiene measures: Wash hands and other exposed body parts with moderate soap and water before eating, drinking and leaving work.

7.2 Conditions for safe storage, including any incompatibilities

Storage temperature: < 40 °C

Storage location: Store in a dry, cool, well-ventilated place.7.3 Specific End Uses





The identified uses for this product are detailed in Section 1.2.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control Parameters

Exposure Limit Values: No supplementary information available.

8.2 Exposure Controls

8.2.1 Engineering Measures: No supplementary information available.

8.2.2 Personal Protective Equipment

Safety glasses. Gloves.



Eye and face protection: No supplementary information available.

Skin protection: The use of any special clothing/skin protection equipment is not recommended during normal conditions of use.

Respiratory protection: No special protective equipment is required under normal conditions of use with adequate ventilation.

8.2.3 Environmental exposure controls

No supplementary information

9. PHYSICAL CHEMICAL PROPERTIES

9.1 Information on Basic Physical and Chemical Properties

Physical State	Liquid		
Color	Characteristic		
Odor	Specific to the substance		
рН	Not available.		
Çözünürlük	Not available.		
Boiling Point	Not available.		
Melting Point	Not available.		
Appearance	Clear and bright		
DMSO ekstraktı (for mineral oil only), IP-346: < 3 % ağ			
Density 15°C (ASTM D4052)	0.874 g/cm3		
Flash point (ASTM D92)	220°C		
Viscosity 100°C (ASTM D445)	11 cSt		
Viscosity Index (ASTM D 2270)	143		



MATERIAL SAFETY DATA SHEET				
WOIL 4T 10W30 MOTOCYCLE OIL				
WOIL [°]				
Gold Drop Series				

Pour Point (ASTM D 97)

-36°C

10. STABILITY AND REACTIVITY

10.1 Reactivity

Under normal conditions, the substance is stable.

10.2 Chemical stability

Under normal conditions, the substance is stable.

10.3 Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions do not occur. Hazardous polymerization will not occur under normal storage and use conditions.

10.4 Conditions to avoid

No data available.

10.5 Incompatible materials

Strong oxidizers. acids. Basis.

10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be formed.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxic effects

Acute toxicity (by mouth): Not classified

Acute toxicity (through the skin): Not classified

Acute toxicity (by inhalation): Not classified

Skin corrosion/irritatio: Not classified

Serious eye damage/irritation: Not classified (Based on available data, the classification criteria are not met)

Respiratory or skin sensitizatio: Not classified

Germ cell mutagenicity: Not classified

Carcinogenicity: Not classified

Reproductive toxicity: Not classified

STOT-single exposure: Not classified

STOT-repeated exposure: Not classified

Aspiration hazard: Not classified

12. EKOLOJİK BİLGİ



12.1 Ecotoxicity

Based on available information, it does not meet the classification criteria.

12.2 Persistence and degradability

It is insoluble in water and therefore shows minimal biodegradation.

12.3 Bioaccumulation potential

No supplementary information

12.4 Mobility in soil

No supplementary information

12.5 Results of PBT and vPvB Assessment

No supplementary information

12.6 Other Adverse Effects

No supplementary information.

13. DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

Disposal methods: The generation of waste should be avoided or minimized as much as possible. Large amounts of waste product residues should not be disposed of in dirty sewers, but should be treated in a suitable wastewater treatment plant. Excess and non-recyclable products must be disposed of by a licensed waste disposal contractor. Disposal of the product, solutions and anything near the product must always comply with environmental protection instructions and waste disposal laws and instructions from any local authority. The packaging of the waste should be recycled. Incineration or burial should only be considered where recycling is not feasible. This material and its container must be disposed of in a safe manner. Empty containers or liners may contain product residue. Avoid dispersal of spilled material, runoff and contact with garbage, drains, sewers.

14. TRANSPORT INFORMATION

14.1 UN Number

Not applicable.

14.2 UN proper shipping name

Not applicable.

14.3 Transport hazard class(es)

Not applicable.

14.4 Packing group

Not applicable.

14.5 Environmental Hazard

Environmentally hazardous substance/marine pollutant

No.



MATERIAL SAFETY DATA SHEET WOIL 4T 10W30 MOTOCYCLE OIL

This Safety Data Sheet is "Regulation on Safety Data Sheets for Hazardous Substances and Mixtures" (Official Journal dated 13.12.2014 and numbered 29204) and "Regulation on Classification, Labeling and Packaging of Substances and Mixtures" Prepared in accordance with (Official Journal No. 28848 and 11.12.2013).

14.6 Special precautions for user

Not applicable.

14.7 Transport in bulk according to Annex II of MARPOL/73/78 and the IBC code

Not applicable.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).

Guide

CHIP for everyone HSG228.

Workplace Exposure Limits EH40.

Approved Classification and Labelling Guide (Sixth edition) L131.

Safety Data Sheet for substances and preparations .

16. OTHER INFORMATION

16.1 Revision information

It is the first edit.

16.2 Hazard statements

H304 Fatal if swallowed and enters airways.

H317 Causes an allergic skin reaction.

H318—Causes serious eye damage

H411--- Toxic to aquatic life with long lasting effects

H413 May cause long lasting harmful effects to aquatic life.

EUH210 - Safety data sheet available on request.

EUH208 - Contains Calcium long chain alkarylsulfonate, Calcium long chain alkarylsulfonate. May cause an allergic reaction.

16.3 abbreviations

ACGIH = American Conference of Industrial Hygienists

TWA = Time Weighted Averge

ASTM= American Society for Testing and Materials

ADN = European Requirements for the international carriage of dangerous goods on inland waterways

ADR = European Convention on the international carriage of dangerous goods by road

ATE = predicted acute toxicity

BCF = Bioaccumulation factor

CAS = Chemical Theory Service

GHS = Global Harmonized Classification and Labeling System of Chemicals

IATA = International Air Transport Association



IBC = Medium-bulk Container

IMDG = International Maritime Dangerous Goods LogPow = base 10 logarithm of octanol/water distribution coefficient

MARPOL = Convention for the Prevention of Marine Pollution from Ships, 1973 as amended by its 1978 Protocol ("Marpol" = marine pollution)

OECD = Organization for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic

RID = Regulation on the International Carriage of Dangerous Goods by Rail

SADT = temperature at which decomposition accelerates itself

STOT-RE = Specific Organ Targeted Toxicity - Repeated Exposure

STOT-SE = Specific Organ Targeted Toxicity - Single Exposure

TWA = time weighted average

UN = United Nations

UVCB = Complex hydrocarbon extract

UOB = Volatile Organic Compounds

vPvB = Very Persistent and Very Bioaccumulative

16.4 Additional info

The information on health, safety and environment in the Safety Data Sheet has been given by examining the reliable sources available at the time the form was prepared. Whilst every care is taken with regard to the accuracy of the information, there is no guarantee of perfection or correctness of the information contained in this document. The health, safety, and environmental recommendations contained in this document may not be adequate for all individuals and/or situations. It is the responsibility of the users to evaluate the material, to use it safely and to comply with the laws and regulations regarding the issues

related to this use. The expressions used in this document shall not be construed as any permission, recommendation or license for the practice and work performed without a valid license. ÖZERŞAH ENERJİ VE PETROL ÜRÜNLERİ TİCARET VE SANAYİ LİMİTED ŞİRKETİ will not be held responsible for any damage and/or injury that may arise from abnormal use of the material, failure to follow the recommendations or the hazards inherent in the material.

16.5 Prepared by:

Full Name	: Şerife KAYA
Document no	: TÜV / 01.230.05
Document Validity Date	: 25.06.2023